


CORNER RESTORATION

CORNER: NW Sec 11 TWP. 8S. RANGE 27E.

ORIGINAL SURVEY BY: Aaron F. York

CONTRACT NUMBER: 309

CONTRACT DATE: Nov. 18, 1878



ORIGINAL DESCRIPTION: Set Stone 14x12x10 for Cor. to Secs. 2, 3, 10, and 11. From which
 A Yellow Pine 24 in. in dia. bears N75°W, 51 lks. dist.
 A Pine 20 in. in dia. bears N86°E, 68 lks. dist.
 A White Pine 23 in. in dia. bears S40°W, 38 lks. dist.
 A Yellow Pine 24 in. in dia. bears S70°E, 41 lks. dist.
 A house bears N62°E about 40 chs. dist.

RESTORATION BY, STAMP AND DATE:

R.D. Bagett
 S.D. Follweiler
 G.J. Russell
 D.E. Mooney

RECEIVED AND
 FILED

James H. 1996
 OFFICE OF COUNTY SURVEYOR

Robert D. Bagett

ATTEST: *Steven D. Follweiler*

REGISTERED
 PROFESSIONAL
 LAND SURVEYOR

Robert D. Bagett

OREGON
 JULY 12, 1963
 ROBERT D. BAGETT
 598

RENEWAL DATE 12/31/97

April 15, 1996

Grant County Surveyor

EVIDENCE FOUND: Found a basalt stone 12x9x5 marked with 2 notches on one edge, the other edge has been broken off, lying at the north edge of a mound of stone.
 From which:
 A root hole bears N90°E, 48.3 ft.
 A partially rotten 25" diam., 8' high pine stump bears N79°W, 32.7 ft. with no blaze or scribing visible.

DESCRIPTION OF MONUMENTS AND ACCESSORIES SET AND METHODS USED:
 Show how trees are scribed and basis of bearings, including compass var.

At the corner point: I set a 1½"x30" galv. iron pipe, 28" in the ground, with attached Grant County Surveyor brass cap marked as shown.
 From which I SCRIBE NEW BEARING TREES:
 A Pine 15" diam., bears N51°E, 14.0 ft. marked T8SR27E S2 CSBT.
 A Juniper 13" diam., bears S62°E, 90.4 ft. marked T8SR27E S11 CSBT.
 A Juniper 6" diam., bears S20°W, 19.3 ft. marked X CSBT.
 A Douglas Fir 10" diam., bears N20°W, 153.8 ft. marked T8SR27E S3 CSBT.

MONUMENT MARKED

GRANT COUNTY
 SURVEYOR

T8S	R27E
S3	S2
S10	S11

1996
 OPLS 598

Buried marked stone north and alongside iron pipe, raised a mound of stone 3 ft. base to top of cap. Used mag. compass with 20°E var. and a steel tape, measuring to a 50d nail driven in the sidecenter at the root crown of the BT's. Attached BT tags to BT's.