



Scale 1"=30'

## BASIS OF BEARINGS

Survey No. 316

## LEGEND

- Found 5/8" iron pin with attached yellow plastic cap.
- Set 5/8"x30" iron pin with attached red plastic cap marked CORNERSTONE SURVEYING, INC.
- X—X Fence Line
- ( ) Record bearing and distance.
- Found monument, see record map of survey number shown in box.

## NARRATIVE

This survey was performed at the request of Roger Lang. The purpose of this survey was to establish a proposed boundary adjustment.

I searched the available records pertaining to this survey. Field measurements were made to locate the existing fence lines and existing monuments from Survey No. 226 and 1232 and to establish the corners as shown. I accepted the found monuments from Survey No. 1232 and the monuments from Survey No. 226 as shown. The new proposed boundary is established at the location agreed upon by the landowners.

The bearings for this survey are based on Survey No. 316, between found monuments on the west boundary of Survey No. 316.

RECEIVED AND  
FILED

SEPT 25 2006  
OFFICE OF COUNTY SURVEYOR  
JACK L. WATSON  
Att: [Signature]

REGISTERED  
PROFESSIONAL  
LAND SURVEYOR

OREGON  
SEPT 19, 1995  
JACK L. WATSON  
2734

Renewal Date 6/30/2008



**CORNERSTONE SURVEYING, Inc.**

233 S. Canyon Blvd., John Day, Oregon 97845  
(541) 575-1813

MAP OF SURVEY  
PROPOSED BOUNDARY ADJUSTMENT  
SITUATED IN THE NE1/4 AND SE1/4 OF SECTION 1  
T13S, R26E, W.M.  
CITY OF DAYVILLE  
GRANT COUNTY, OREGON

SURVEYED FOR: **Roger Lang**

SURVEYED BY: Jack Watson

Date: 8/29/2006

DRAWN BY: Jack Watson

MAP OF SURVEY NO. 1777